

Peer Reviewed Research

References

Ayala, J., Simons, K., & Kerrigan, S. (2009). *Quantitative determination of caffeine and alcohol in energy drinks and the potential to produce positive transdermal alcohol concentrations in human subjects*. *Journal of analytical toxicology*, 33(1), 27-33.

Barnett, N. P., Tidey, J., Murphy, J. G., Swift, R., & Colby, S. M. (2011). *Contingency management for alcohol use reduction: A pilot study using a transdermal alcohol sensor*. *Drug and alcohol dependence*, 118(2), 391-399.

Dougherty, D. M., Charles, N. E., Acheson, A., John, S., Furr, R. M., & Hill-Kapturczak, N. (2012). *Comparing the detection of transdermal and breath alcohol concentrations during periods of alcohol consumption ranging from moderate drinking to binge drinking*. *Experimental and clinical psychopharmacology*, 20(5), 373.

Dougherty, D. M., Hill-Kapturczak, N., Liang, Y., Karns, T. E., Cates, S. E., Lake, S. L., ... & Roache, J. D. (2014). *Use of continuous transdermal alcohol monitoring during a contingency management procedure to reduce excessive alcohol use*. *Drug and alcohol dependence*, 142, 301-306.

Leffingwell, T. R., Cooney, N. J., Murphy, J. G., Luczak, S., Rosen, G., Dougherty, D. M., & Barnett, N. P. (2013). *Continuous objective monitoring of alcohol use: twenty-first century measurement using transdermal sensors*. *Alcoholism: Clinical and Experimental Research*, 37(1), 16-22.

Marques, P. R., McKnight, A. S., United States., & Pacific Institute for Research and Evaluation. (2007). *Evaluating transdermal alcohol measuring devices: Final report*. Washington, D.C: National Highway Traffic Safety Administration.

Neville, F. G., Williams, D. J., Goodall, C. A., Murer, J. S., & Donnelly, P. D. (2013). *An experimental trial exploring the impact of continuous transdermal alcohol monitoring upon alcohol consumption in a cohort of male students*. *PloS one*, 8(6), e67386.

Roache, J. D., Karns, T. E., Hill-Kapturczak, N., Mullen, J., Liang, Y., Lamb, R. J., & Dougherty, D. M. (2015). *Using Transdermal Alcohol Monitoring to Detect Low-Level Drinking*. *Alcoholism: Clinical and Experimental Research*, 39(7), 1120-1127.